

K6EFG10TT

ELECTRIC FRYER DOUBLE TANK 10+10 lt.



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel fix heating elements**, immersed in oil in the middle of the tank for easy cleaning operations. Manually-reactivating safety thermostat.

Two 10 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with baskets made of steel covered by a layer of protective material.

Drain valve provided by athermic thermoset plastic handle and safety closing system, placed on the front of the appliance.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93



TECHNICAL SPECIFICATIONS

Width: 600 mm

Depth: 600 mm

Height: 280 mm

Weight: 24 kg

Volume: 0.31 m³

Electrical power: 16.00 kW



K6EFG1012

ELECTRIC FRYER DOUBLE TANK 11 + 11 lt.



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel heating elements**, immersed in oil and easily tilted for easy cleaning operations.

Manually-reactivating safety thermostat.

Two 11 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with baskets made of steel covered by a layer of protective material.

Drain valve provided by athermic thermoset plastic handle and safety closing system, placed on the front of the appliance.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 600 mm

Depth: 600 mm

Height: 280 mm

Weight: 36 kg

Volume: 0.31 m³

Electrical power: 17.40 kW



K6EFG05TT

ELECTRIC FRYER SINGLE TANK 10 lt.



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel fix heating elements**, immersed in oil in the middle of the tank for easy cleaning operations. Manually-reactivating safety thermostat.

10 lt. tank provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with baskets made of steel covered by a layer of protective material.

Drain valve provided by athermic thermoset plastic handle and safety closing system, placed on the front of the appliance.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 300 mm

Depth: 600 mm

Height: 280 mm

Weight: 13 kg

Volume: 0.14 m³

Electrical power: 8.00 kW



K6EFG0512

ELECTRIC FRYER SINGLE TANK 11 lt.



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel heating elements**, immersed in oil and easily tilted for easy cleaning operations.

Manually-reactivating safety thermostat.

11 lt. tank provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with baskets made of steel covered by a layer of protective material.

Drain valve provided by athermic thermoset plastic handle and safety closing system, placed on the front of the appliance.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 300 mm
Depth: 600 mm
Height: 280 mm
Weight: 17 kg
Volume: 0.12 m³
Electrical power: 8.70 kW



Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ata.nt-rt.ru/> || aat@nt-rt.ru