

K7EFG0507

ELECTRIC FRYER DOUBLE TANK 9 + 9 lt. - PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel heating elements**, immersed in oil and **easily tilting** for easy cleaning operations.

Two 9 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Manually-reactivating safety thermostat.

Stainless steel tanks with rounded edges sloping towards the drain spout that is connected a stainless steel oil container.

Moulded work surface and tanks for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel oil container with filter. **Standard equipped** with stainless steel baskets and tank lids.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ata.nt-rt.ru/> || aat@nt-rt.ru



TECHNICAL SPECIFICATIONS

Width: 400 mm

Depth: 700 mm

Height: 850 mm

Weight: 48 kg

Volume: 0.45 m³

Electrical power: 15.00 kW



K7EFE0507

ELECTRIC FRYER DOUBLE TANK 9+9 lt. WITH ELECTRONIC CONTROL -
PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel heating elements**, immersed in oil and easily **tilting** for easy cleaning operations.

Two 9 lt. tanks provided with an **electronic board with J-class thermocouple**, which enables the temperature to be regulated between 100°C and 190°C. Manually-reactivating safety thermostat.

The **fat melting cycle** ensures the programmed intermittent electronic control of oil heating both while heating up oil and while keeping it warm thanks to pulses up to 100°, so to avoid oil and appliance overheating. Using the melting cycle ensures the right oil temperatures and prevents dangerous thermal stress.

Stainless steel tank with rounded edges sloping towards the drain spout that is connected to a stainless steel oil container.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel oil container with filter. **Standard equipped** with stainless steel baskets and tank lids.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS



Width: 400 mm

Depth: 700 mm

Height: 850 mm

Weight: 48 kg

Volume: 0.45 m³

Electrical power: 15.00 kW



C2EFG0510

ELECTRIC FRYER SINGLE TANK 10 lt. - SOLUTION LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel fix heating elements**, immersed in oil in the middle of the tank for easy cleaning operations. Manually-reactivating safety thermostat.

10 lt. tank provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout. Cabinet suitable for a stainless steel oil container.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel baskets and tank lids.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS



Width: 400 mm

Depth: 700 mm

Height: 850 mm

Weight: 33 kg

Volume: 0.45 m³

Electrical power: 8.00 kW



K7EFG05TT

ELECTRIC FRYER SINGLE TANK 11 lt. - PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel heating elements**, immersed in oil and **easily tilting** for easy cleaning operations.

11 lt. tank provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Manually-reactivating safety thermostat.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel baskets and tank lids.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm

Depth: 700 mm

Height: 250 mm

Weight: 48 kg

Volume: 0.45 m³

Electrical power: 8.70 kW



K7EFG0515

ELECTRIC FRYER SINGLE TANK 15 lt. - PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel heating elements**, immersed in oil and **easily tilting** for easy cleaning operations. **15 lt. tank** provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C. Manually-reactivating safety thermostat. Stainless steel tank with rounded edges sloping towards the drain spout that is connected a stainless steel oil container. Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels. **Standard equipped** with stainless steel oil container with filter. **Standard equipped** with stainless steel baskets and tank lids. Laser-cut work top finishing for "head-to-head" matching and binding fastening. **Height-adjustable** stainless steel legs. Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm
Depth: 700 mm
Height: 850 mm
Weight: 42 kg
Volume: 0.45 m³
Electrical power: 15.00 kW



K7EFE0515

ELECTRIC FRYER SINGLE TANK 15 lt. WITH ELECTRONIC CONTROL -
PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel heating elements**, immersed in oil and easily **tilting** for easy cleaning operations.

15 lt. tank provided with an **electronic board with J-class thermocouple**, which enables the temperature to be regulated between 100°C and 190°C. Manually-reactivating safety thermostat.

The **fat melting cycle** ensures the programmed intermittent electronic control of oil heating both while heating up oil and while keeping it warm thanks to pulses up to 100°, so to avoid oil and appliance overheating. Using the melting cycle ensures the right oil temperatures and prevents dangerous thermal stress.

Stainless steel tank with rounded edges sloping towards the drain spout that is connected to a stainless steel oil container.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel oil container with filter. **Standard equipped** with stainless steel baskets and tank lids.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.


Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm
Depth: 700 mm
Height: 850 mm
Weight: 42 kg
Volume: 0.45 m³
Electrical power: 15.00 kW



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ata.nt-rt.ru/> || aat@nt-rt.ru