

K7EBM05VV

ELECTRIC BAIN-MARIE SINGLE TANK 1/1 GN + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating achieved through **ETCHED FOIL heating elements**: heat is transferred only to the tank bottom for energy savings. Manually-reactivated safety thermostat. Operation through ON-OFF switch and a 30°C-90°C thermostat with probe immersed in the tank.

AISI 304 work top with rounded corners for easy cleaning. Stainless steel front, side and backside panels.

Cold moulded AISI 304 tank with drain hole, suitable for containers **up to 150 mm high**. Possibility to hold multiple containers **up to 1/1 GN**.

Water filling tap on the front panel. AISI 304 elliptical cross-section designed handles. Tank drain on the front panel and operated by a lever.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ata.nt-rt.ru/> || aat@nt-rt.ru



TECHNICAL SPECIFICATIONS

Width: 400 mm

Depth: 700 mm

Height: 850 mm

Weight: 29 kg

Volume: 0.45 m³

Electrical power: 1.00 kW



K7EBM10VV

ELECTRIC BAIN-MARIE UNIT 2/1 GN + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating achieved through **ETCHED FOIL heating elements**: heat is transferred only to the tank bottom for energy savings.

Manually-reactivated safety thermostat. Operation through ON-OFF switch and a 30°C-90°C thermostat with probe immersed in the tank.

AISI 304 work top with rounded corners for easy cleaning. Stainless steel front, side and backside panels.

Cold moulded AISI 304 tank with drain hole, suitable for containers **up to 150 mm high**. Possibility to hold multiple containers **up to 2/1 GN**.

Water filling tap on the front panel. AISI 304 elliptical cross-section designed handles. Tank drain on the front panel and operated by a lever.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm

Depth: 700 mm

Height: 850 mm

Weight: 40 kg

Volume: 0.80 m³

Electrical power: 2.00 kW



K7EBM05TT

TOP ELECTRIC BAIN-MARIE SINGLE TANK 1/1 GN



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating achieved through **ETCHED FOIL heating elements**: heat is transferred only to the tank bottom for energy savings. Manually-reactivated safety thermostat. Operation through ON-OFF switch and a 30°C-90°C thermostat with probe immersed in the tank.

AISI 304 work top with rounded corners for easy cleaning. Stainless steel front, side and backside panels.

Cold moulded AISI 304 tank with drain hole, suitable for containers **up to 150 mm high**. Possibility to hold multiple containers **up to 1/1 GN**.

Water filling tap on the front panel. AISI 304 elliptical cross-section designed handles. Tank drain on the front panel and operated by a lever.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm

Depth: 700 mm

Height: 250 mm

Weight: 19 kg

Volume: 0.21 m³

Electrical power: 1.00 kW



K7EBM10TT

TOP ELECTRIC BAIN-MARIE UNIT 2/1 GN



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating achieved through **ETCHED FOIL heating elements**: heat is transferred only to the tank bottom for energy savings.

Manually-reactivated safety thermostat. Operation through ON-OFF switch and a 30°C-90°C thermostat with probe immersed in the tank.

AISI 304 work top with rounded corners for easy cleaning. Stainless steel front, side and backside panels.

Cold moulded AISI 304 tank with drain hole, suitable for containers **up to 150 mm high**. Possibility to hold multiple containers **up to 2/1 GN**.

Water filling tap on the front panel. AISI 304 elliptical cross-section designed handles. Tank drain on the front panel and operated by a lever.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm


Depth: 700 mm

Height: 250 mm

Weight: 24 kg

Volume: 0.38 m³

Electrical power: 2.00 kW



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ata.nt-rt.ru/> || aat@nt-rt.ru